

High Strength Paint Remover

TEXOL

TECHNICAL DATA

1.0 DESCRIPTION

TEXOL is a non-flammable, highly effective paint remover, with excellent adhesion to vertical surfaces. TEXOL is suitable for brush or spray application to most acrylics, enamels, varnishes as well as many other coatings. TEXOL will not attack wood or metals. It is also suitable for use on many epoxy esters, epoxy amides and stoved finishes. Does not contain Phenols.

2.0 PROPERTIES

2.1. Colour	Opaque White.
2.2. Specific Gravity	1.18
2.3. Flash Point	Non Flammable
2.4. Viscosity	Smooth, paste-like.
2.5. Toxicity	Poisonous
2.6. DG Classification	6.1
2.7. Shelf Life	One year in original, unopened container.

3.0 USES

TEXOL is used to strip paint from a variety of surfaces. It can also be used to remove other similar coatings.

4.0 APPLICATION

- 4.1. Apply TEXOL by brush or spray to the paint to be removed.
- 4.2. TEXOL may be applied to vertical or inclined surfaces due to its thixotropic properties.
- 4.3. Use masking tape to protect untreated surfaces. Allow to soak onto surface and soften the coating, but do not allow to dry out (some surfaces may require longer contact periods and/or thicker coats of TEXOL).
- 4.4. Remove paint with scraper or hose.
- 4.5. Repeat where necessary (after allowing surface to dry).
- 4.6. Wash equipment in water and detergent.


5.0 PRECAUTIONS

Wear full skin protection, including face shield, vinyl gloves and overalls. Do not use in confined space without adequate ventilation. Do not smoke during use. If TEXOL contacts skin, wash off with soap and water. Refer Material Safety Data Sheet for complete information.

6.0 PACKAGING

- 4-litre cans.
- 20-litre pails.
- 200-litre drums.

A Material Safety Data Sheet is available on request.



Fraser Brown & Stratmore Ltd

Address: 185 Rata Street, PO Box 35136 Naenae, Lower Hutt, New Zealand

Telephone: 04 567 8436 Freephone: 0800 835 699 Facsimile: 04 567 7232 Freefax: 0800 FIBRES (342 737)

Website: www.fbsltd.co.nz

Email: info@fbsltd.co.nz

The information contained in this data sheet, is to the best of our current knowledge, true and accurate, but any recommendations or suggestions which may be made are without liability on our part, since the conditions of use are beyond our control. Buyers and users are urged to make their own assessment of our products under their own conditions and for their own requirements. Fraser Brown & Stratmore Ltd reserves the right to alter formulations without notice. Properties as stated were determined under controlled laboratory conditions.

